



**L'articolo non è più disponibile.**

### Features :

### Logistica

#### FUTURELIGHT DMH-40 LED Moving Head

High performance LED moving head

- 1 extra bright 40 W LED for best luminance
- Comparable to the light output of 250 W discharge lamp
- Effect wheel with rotating 3-facet prism and 3D prism and frost filter
- Macro function for rotating gobos/rotating prism combinations
- Color wheel with 8 different dichroic color filters plus white
- Switchable color change (mode 1: only full colors, mode 2: color change at every position)
- Rainbow effect with adjustable speed in both directions
- Gobo wheel with 7 rotating gobos plus open
- All gobos can be interchanged
- Slot-in gobo system for exchanging gobos without tools
- With gobo shake function
- Exact positioning via 16 bit PAN/TILT movement resolution
- Motorized focus
- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect
- Power standby mode
- PAN angle switchable between 630° and 540°

- Switch-mode power supply, automatic power supply adaption between 100 and 240 Volts without power selector
- Control board with 4-digit display and foil-keyboard for adjusting the DMX starting address, PAN/TILT Reverse, Program, Reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 56 preprogrammed scenes in Program Run for stand-alone operation
- Number of scenes in Program Run can be changed individually
- The scenes in Program Run can be modified via the Control Board or via an external controller and loaded into the memory
- 7 built-in programs can be called up via DMX controller
- Software upload by optional FUTURELIGHT ULB-1 upload box via DMX link
- Sound-controlled via built-in microphone
- DMX control via every standard DMX controller
- Può funzionare in modalità 14 CH DMX
- Controllabile via controllo della musica via microfono; DMX; RDM

#### ROADINGER Flightcase 2x DMH-30/DMH-40

PRO flightcase for 2 x FUTURELIGHT DMH-60/DMH-40/DMH-30 LED moving head

- Developed for 51841836 FUTURELIGHT DMH-60 LED Moving Head, 51841835 FUTURELIGHT DMH-40 LED Moving Head, 51841825 FUTURELIGHT DMH-30 LED Moving Head or comparable Moving Heads
- Suitable for 2 units
- Interior and cover upholstered with foam
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Three-leg, medium-sized steel ball corners (chromium plated)
- 4 castors, 2 of which with locking brakes
- 2 high-quality butterfly locks
- 2 high-quality plated case handles
- For perfect protection
- Ruote girevoli
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

#### Dati tecnici :

|       |          |
|-------|----------|
| Peso: | 41,40 kg |
|-------|----------|

#### FUTURELIGHT DMH-40 LED Moving Head

|                                             |                                                 |
|---------------------------------------------|-------------------------------------------------|
| Alimentazione elettrica:                    | 100-240 V AC, 50/60 Hz                          |
| Potenza totale installata:                  | 150 W                                           |
| Frequenza di lampeggiamento:                | 1 - 22 Hz                                       |
| Gobo:                                       | Diametro esterno 27mm<br>Diametro immagine 22mm |
| Canali DMX:                                 | 14                                              |
| Attivazione:                                | Controllo della musica via microfono; DMX; RDM  |
| Angolazione del fascio di luce (1/2 picco): | 15°                                             |
| Colore:                                     | Nero                                            |
| Misure:                                     | Lunghezza: 30,10 cm                             |
| Peso:                                       | 11,30 kg                                        |
| DMX channels:                               | 14                                              |
| DMX connection:                             | 5-pin and 3-pin XLR                             |

|                                |                              |
|--------------------------------|------------------------------|
| Sound-control:                 | via built-in microphone      |
| Flash-rate:                    | 22 Hz                        |
| LED type:                      | LUMINUS SST-90               |
| LED number:                    | 1                            |
| Beam angle:                    | 15°                          |
| Color-wheel:                   | 8 dichroic filters plus open |
| Rotating gobo-wheel:           | 7 gobos and open             |
| Outside diameter of the gobos: | 27 mm                        |
| Image diameter of the gobos:   | 22 mm                        |
| Length of base:                | 301 mm                       |
| Width of yoke:                 | 247 mm                       |
| Height (head horizontal):      | 406 mm                       |

**ROADINGER Flightcase 2x DMH-30/DMH-40**

|                                 |                                                           |
|---------------------------------|-----------------------------------------------------------|
| Carico massimo:                 | 50 kg                                                     |
| Ausilio di trasporto:           | Ruote girevoli                                            |
| Materiale:                      | Legno multistrato di betulla, 7 mm                        |
| Colore:                         | Marrone scuro, laminato                                   |
| Misure:                         | Larghezza: 72,5 cm<br>Profondità: 40 cm<br>Altezza: 68 cm |
| Peso:                           | 18,80 kg                                                  |
| Strength:                       | 7 mm                                                      |
| Outside dimensions (W x D x H): | 725 x 400 x 680 mm                                        |
| Inside dimensions (W x D x H):  | 685 x 360 x 460 mm                                        |

**Contenuto della confezione:**