



5 X



10 X



L'articolo non è più disponibile.

### Features :

### Logistica

#### EUROLITE LED Pixel Ball 360° 1m

Flexible LED pixel string

- 5 pixels, individually controllable
- 1 m long, flexible string
- Ultra-bright TCL LEDs for smooth RGB color mixing in lightweight, white plastic spheres
- 360° beam angle
- Modular concept allows build-up of large curtains for clubs, stages, shops and various other environments
- Individual control of static colors, RGB color mixture, internal programs, dimmer, strobe, Master/Slave
- Serial connection of 6 strings possible (30 pixels)
- Control of up to 150 pixels per LED PSU-5A Artnet/DMX controller (accessory)
- Control also possible per MADRIX, DMX and Artnet
- Controllabile via stand-alone; Art-Net; DMX

#### EUROLITE LED PSU-5A Artnet/DMX

Control unit for EUROLITE LED Pixel Ball 360° 1m

- Create a RGB color mixing curtain with the decorative LED Pixel Ball strings
- For 150 pixels
- Serial connection possible

- Operable in stand-alone mode or via DMX and Art-Net
- Truss installation
- Comfortable addressing and setting via control panel with LCD display
- Built-in functions: static colors, internal programs, dimmer, strobe, Master/Slave, string length selection
- Master/Slave for parallel operation of several devices
- Number of DMX channels (8, 450) selectable for numerous applications
- Ready for connection via included IEC power cord with safety power plug
- Switch-mode power supply for operation between 100 and 240 Volts
- Feed-through output allows to power up to 8 devices
- Controllabile via stand-alone; Art-Net; DMX

## MADRIX KEY

MADRIX 5 KEY - senza licenza

- Include una MADRIX KEY vuota
- Richiede una licenza corrispondente per MADRIX 5 per sbloccare le funzionalità o l'output per il software
- The device can be connected via USB to the PC
- Made in Germany

## MADRIX Software 5 licenza start

Licenza MADRIX 5 "start"

- Include 1 licenza "start" per il software MADRIX 5
- Richiede necessariamente una MADRIX KEY valida, metallica e vuota
- Può inviare fino a 1024 canali DMX
- Compatible with Win 7, Win 8, Win 10,
- Made in Germany
- Realizzato in Germania
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

## Dati tecnici :

---

|       |         |
|-------|---------|
| Peso: | 4,84 kg |
|-------|---------|

---

## EUROLITE LED Pixel Ball 360° 1m

|                                             |                                     |
|---------------------------------------------|-------------------------------------|
| Potenza totale installata:                  | 4 W                                 |
| Attivazione:                                | Stand-alone; Art-Net; DMX           |
| Angolazione del fascio di luce (1/2 picco): | 360°                                |
| Misure:                                     | Altezza: 105 cm<br>Diametro: Ø 5 cm |
| Peso:                                       | 0,22 kg                             |
| Number of pixels:                           | 5                                   |
| Pixel configuration:                        | TCL, SMD 5050 (2 per sphere)        |
| Series connection:                          | 30 pixels                           |
| Beam angle:                                 | 360°                                |
| Dimensions (L x D):                         | 1050 x 50 mm                        |

## EUROLITE LED PSU-5A Artnet/DMX

|                            |                                                           |
|----------------------------|-----------------------------------------------------------|
| Alimentazione elettrica:   | 100-240 V AC, 50/60 Hz                                    |
| Potenza totale installata: | 80 W                                                      |
| Attivazione:               | Stand-alone; Art-Net; DMX                                 |
| Fixtures disponibili per:  | LED PC-Control 512                                        |
| Misure:                    | Lunghezza: 100 cm<br>Profondità: 7,5 cm<br>Altezza: 10 cm |
| Peso:                      | 2,48 kg                                                   |
| Output voltage:            | 12 V AC                                                   |
| Outputs for pixel strings: | 5                                                         |
| Pixel control:             | max. 150                                                  |
| Serial connection:         | yes                                                       |
| Number of DMX channels:    | 8/450                                                     |
| DMX connection:            | 3-pin XLR                                                 |
| Art-Net connection:        | RJ45, CAT5e                                               |
| Dimensions (L x W x H):    | 1005 x 75 x 100 mm                                        |

#### **EUROLITE Terminator for LED Pixel Ball**

|                        |         |
|------------------------|---------|
| Colore della custodia: | Nero    |
| Peso:                  | 0,02 kg |

#### **MADRIX KEY**

|                          |                                                                            |
|--------------------------|----------------------------------------------------------------------------|
| Allacciamento elettrico: | Alimentazione dell'energia elettrica tramite USB A (M) versione da incasso |
| Collegamento USB:        | Type A                                                                     |
| PC connect:              | Via USB                                                                    |
| Peso:                    | 0,07 kg                                                                    |

#### **MADRIX Software 5 licenza start**

|                    |                       |
|--------------------|-----------------------|
| Canali DMX:        | Uscita 1024           |
| Peso:              | 0,00 kg               |
| Sistema operativo: | Win 7, Win 8, Win 10, |

#### **Contenuto della confezione:**