

OMNITRONIC XDP-2800 Dual CD/MP3 Player

Lettore CD e MP3 doppio per CD, USB e SD

Art.n.: 11046030

GTIN: 4026397361742



L'articolo non è più disponibile.

Descrizione :

Flexible with different sources - multi talent XDP-2800

Be flexible - with the Omnitronic XDP-2800 Dual CD and MP3 player. As DJ, bar owner or organizer it prepares you for any kind of situation. Both CD decks read all common CD formats as well as MP3 files. Moreover, you can play your music via 2 USB 2.0 ports or 2 SD card slots. Imagine a wedding couple bringing you their special dance - it doesn't matter which source they use as you can play them all.

Reliable and rugged for the road

Interruptions while you performing are a thing of the past. The anti-shock protection of 15 seconds takes over and you are fine. Build your double CD player into 19 inch racks to transport it in a safe way.

Rich equipment

DJ functions such as pitching, looping or scratching with the jog dial are waiting for you. The XDP offers LCDs with blue backlight and rubber buttons with color illumination, so you never lose track of your unit. Choose a reliable multi talent with quick source identification, choose the XDP-2800.

Features :

- Dual CD/USB/SD player for DJs
- Audio CD/ CD-R/CD-RW/MP3 CD
- 2 USB 2.0 ports for USB storage devices
- 2 SD(HC) card slots
- 2 x 15 seconds anti-shock protection

Logistica

EAN / GTIN: 4026397361742

Peso : 6,50 kg

Lunghezza : 0.51 m

Larghezza : 0.44 m

Altezza : 0.16 m

- Alphanumeric LCDs with blue backlight
- Easy-turning jog dials with mode selector (fast or frame search) and Pitch Bend function
- Comfortable track selection via skip buttons and +10 buttons
- Folder navigation
- Pitch adjustment $\pm 4\%$, $\pm 8\%$, $\pm 16\%$
- Pitch bend buttons
- Cue function
- Seamless Loop/Reloop function
- Single or continuous play
- Repeat function
- Title programming
- Indication of elapsed time or remain time
- Bargraph display
- Pitch adjustment is displayed in %
- Rubber buttons with color illumination
- Extra large Play/Pause and Cue buttons
- Future-proof through firmware updates
- Impostazione del passo: $\pm 4\%$, $\pm 8\%$, $\pm 16\%$

- Modulo di comando**
- Montaggio su rack (19") 48,3 cm 2 U
- audioplayer**
- Montaggio su rack (19") 48,3 cm 2 U

Dati tecnici :

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	30,00 W
Allacciamento elettrico:	Alimentazione dell'energia elettrica tramite piccoli elettrodomestici C8 (M) "Presa rasoio" versione da incasso cavo di alimentazione con spina europea (in dotazione)
Intervallo di frequenza:	20 - 20000 Hz
Rapporto segnale-rumore:	>70 dB
Distorsione armonica totale:	<0,09 % a 1 kHz
Audioplayer:	USB + SD + lettore CD, (ID3 tag), Anti-shock, Seamless loop; , pitch
Dispositivo CD:	Cassetto-disco doppio
Visualizzazione sul display:	CD-DA Tempo di riproduzione del titolo , Tempo residuo del titolo , Tempo di gioco residuo totale , bargraph; MP3 Tempo residuo del titolo , Tempo di riproduzione del titolo , bargraph , ID3-Tags
Collegamenti:	Uscita: line via 2 x RCA stereo 2 V
Formato musicale:	CD, CD-R, CD-RW, CD-DA, MP3
Supporti di memorizzazione appropriati:	Periferica USB/Schede SD max. 32GB
Impostazione del passo:	$\pm 4\%$, $\pm 8\%$, $\pm 16\%$
Peso:	5,45 kg
Struttura della custodia:	Montaggio su rack (19") 48,3 cm 2 U
Misure:	Larghezza: 48,3 cm Profondità: 26 cm Altezza: 8,9 cm
Struttura della custodia:	Montaggio su rack (19") 48,3 cm 2 U
Misure:	Larghezza: 48,3 cm Profondità: 8,5 cm Altezza: 8,9 cm

Contenuto della confezione:

1 x audioplayer
1 x Modulo di comando
1 x Cavo di rete/Cavo di alimentazione
2 x cavo RCA
2 x cavo multipin
1 x Manuale d'uso