

OMNITRONIC DSM-1000 Microphone set

Art.n.: 13030451

GTIN:



Features :

Logistica

OMNITRONIC BDM-1000 PRO Instrument Mic

Dynamic microphone for resonant instruments like bass drums

- Dynamic microphone for direct pick-up of low-frequency musical instruments like drums, percussions, wind instruments, and guitar amplifiers as well as acoustic instruments
- Transparent and powerful sound
- Ideal for studio recording and live applications
- Integrated holder can be turned by 180°
- Cardioid pickup pattern for effective feedback elimination
- Special shock-absorbing cartridge support
- Robust diecast body, applicable for touring
- Balanced XLR output
- Delivery includes padded leatherette bag
- Excellent quality at a low price
- Direttività: Cardioide

OMNITRONIC IM-1000 PRO Instrument mic

PRO condenser microphone for studio recording and live applications

- Perfect for direct or overhead sound pick-up of acoustic and electric instruments
- Back electret capsule with cardioid pickup pattern for effective feedback elimination

- Operation via external phantom power (9-52 V DC current) or internal 1.5 V battery (not included)
- Stand holder with 1 cm (3/8") and 1.5 cm (5/8") thread
- Robust diecast body, applicable for touring
- Balanced XLR output
- Delivery incl. padded leatherette bag
- Excellent quality at a low price

OMNITRONIC KDM-1000 PRO Instrument Mic

Microfono dinamico per strumenti a basso come la batteria

- Dynamic microphone for direct pick-up of kick drums and other low-frequency musical instruments, e.g. trombone and bass amplifier
- Ideal for studio recording and live applications
- Integrated holder can be turned by 180°
- Hypercardioid pickup pattern for effective feedback elimination
- Special shock-absorbing cartridge support
- Robust diecast body, applicable for touring
- Balanced XLR output
- Delivery includes padded leatherette bag
- Excellent quality at a low price
- Direttività: Ipercardioide

ROADINGER Custodia universale FOAM, nera

Custodia per valigia

- With schiume universali pickfoam
- High-quality workmanship with Legno lamellare incollato multistrato 7 mm, nero, laminato
- Interior with Imbottitura in schiuma
cover with Imbottitura in schiuma
- Aluminum profile frames 22mm with rounded edges
- Maniglia di trasporto robusta
- 2 Serrature a scatto di alta qualità con funzione di blocco
- Closes with a
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

Dati tecnici :

OMNITRONIC BDM-1000 PRO Instrument Mic

Tipo:	Microfono strumento
Tipo di capsula:	Dinamica
Direttività:	Cardioide
Intervallo di frequenza:	60 - 16000 Hz
Interruttore:	Senza
Peso:	0,70 kg
Type:	Dynamic
Directivity pattern:	Cardioid
Impedance:	600 ohms
Sensitivity:	-72 dB
Maximum SPL:	158 dB

OMNITRONIC IM-1000 PRO Instrument mic

Tipo di capsula:	Condensatore
Intervallo di frequenza:	60 - 18000 Hz

Peso:	0,19 kg
Type:	Condenser (back electret)
Directivity pattern:	Cardioid
Impedance:	400 ohms
Sensitivity:	-70 dB
Power supply:	external phantom power (9-52 V DC) or internal 1.5 V battery, type AA

OMNITRONIC KDM-1000 PRO Instrument Mic

Tipo:	Microfono strumento
Tipo di capsula:	Dinamica
Direttività:	Ipercardioide
Intervallo di frequenza:	20 - 12000 Hz
Sensibilità:	-85 dB
Interruttore:	Senza
Peso:	0,81 kg
Type:	Dynamic
Directivity pattern:	Hypercardioid
Impedance:	600 ohms
Maximum SPL:	172 dB

ROADINGER Custodia universale FOAM, nera

Carico massimo:	25 kg
Telaio in alluminio:	22 mm
Maniglia di trasporto:	1 Pezzo
Chiusura:	Serratura a scatto: 2 Pezzo con funzione di blocco
Materiale:	Legno lamellare incollato multistrato, 7 mm
Colore:	Nero, laminato
Dimensioni interne:	42 cm x 29,5 cm x 12 cm
Misure:	Larghezza: 46 cm Profondità: 35 cm Altezza: 17 cm
Peso:	3,90 kg

Contenuto della confezione: