

OMNITRONIC Set CNP-1 + PNM-8 PNM-8 Nearfield Monitor

Art.n.: 20000417

GTIN:



L'articolo non è più disponibile.

Features :

Logistica

OMNITRONIC CNP-1 WLAN Multi-Room Streaming System

Wireless multi-room streaming adapter

- Stream music wirelessly from your smartphone, tablet, PC and Mac
- Multi-room function for synchronous playback in every room
- Intuitive control via app available for iOS and Android
- WLAN standard IEEE 802.11g/b/n
- Supports high-resolution audio files up to 192 kHz and 24 bit
- Supports Apple AirPlay and DLNA/UPnP
- Streams internet radio services
- USB port for hard disks
- Digital optical output (S/PDIF)
- Analog 3.5 mm jack output
- Incl. 3.5 mm to RCA cable and USB power adapter
- Learn more: www.omnitronic.de
- Controllabile via Wi-Fi
- 2.4 GHz registrazione gratuita e gratuita in tutto il mondo

OMNITRONIC PME-8 Studio Monitors 2x

Active 2-way speaker pair with mount, 8" woofers and 20 W RMS

- Active studio monitors for DJs and producers

- One active speaker system with biamp amplifier and connection for the second passive speaker system
- 2-way bass-reflex system
- Separate controls for volume, high and low frequencies
- For home studio and multimedia use
- Stereo RCA input for connection the audio source
- 13 cm bass-midrange speaker and 2.5 cm dome tweeter with wave guide
- Rugged black MDF cabinet

Dati tecnici :

Peso:	9,01 kg
-------	---------

OMNITRONIC CNP-1 WLAN Multi-Room Streaming System

Tipo:	Wi-Fi
Allacciamento elettrico:	Alimentazione dell'energia elettrica tramite USB, tipo B cavo di alimentazione con alimentatore a spina (in dotazione)
Intervallo di frequenza:	20 - 20000 Hz
Attivazione:	Wi-Fi
Banda di frequenza:	2.4 GHz
Materiale:	Plastica
Misure:	Larghezza: 12 cm Profondità: 8,5 cm Altezza: 1,6 cm
Peso:	0,21 kg
Audio:	
Analog output:	3.5 mm stereo jack
Digital output:	Toslink SPDIF
Data transmission:	
WLAN standard:	IEEE 802.11g/b/n, 2.4 GHz
Ethernet/LAN:	10/100 mbit/s (RJ-45)
USB 2.0 host:	USB type A
Supported audio formats:	.aac, .ogg, .mp3, .flac, .alac, .ape, .wma, .wav, .au, .aif, .aiff, .m3u, .m4a, .asf, .mms (compressed/lossless)
Protocols:	UPnP/DLNA (DMR + DMS), AirPlay
Internet radio:	.aac, .mp3, .wma,
General:	
Power supply:	5 V DC, 500 mA via USB port or supplied PSU
Controls:	Power switch, reset button, LED indicators

OMNITRONIC PME-8 Studio Monitors 2x

Alimentazione elettrica:	230 V AC, 50 Hz
Potenza totale installata:	50,00 W

Allacciamento elettrico:	Pavimento cavo di alimentazione con spina europea
Capacità di carico:	Programma: 40W Nominale: 20W RMS
Intervallo di frequenza:	45 - 20000 Hz
Sensibilità:	75 dB
Altoparlante:	1 x 8" Woofer
Tipo di altoparlante:	Monitor for studios
Misure:	Larghezza: 26 cm Profondità: 23,8 cm Altezza: 35,6 cm
Peso:	8,80 kg
Components:	20 cm woofer, 2.5 cm tweeter with wave guide
Connection:	stereo RCA

Contenuto della confezione: