




The article is no longer in our assortment.

Features:

ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

Logistic

ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS TRILOCK 6082AL-31 3-way Corner $\wedge$ right

3-point truss system

- Low weight
 - Easy installation
 - Trusspipe: 50 mm
 - Made in Europe
 - For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- Package contents**
- 2 x connection set

ALUTRUSS TRILOCK 6082AL-32 3-way Corner /\ left

3-point truss system

- Low weight
 - Easy installation
 - Trusspipe: 50 mm
 - Made in Europe
 - For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- Package contents**
- 2 x connection set

Technical specifications:

Weight:	128,00 kg
---------	-----------

ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 250 cm Width: 29 cm Height: 25,70 cm
Weight:	9,80 kg

ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 300 cm Width: 29 cm Height: 25,70 cm
Weight:	10,7 kg

ALUTRUSS TRILOCK 6082AL-31 3-way Corner /\ right

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,1 kg

ALUTRUSS TRILOCK 6082AL-32 3-way Corner /\ left

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6,20 kg