



Features:

Logistic

ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

ALUTRUSS TRILOCK 6082AL-31 3-way Corner Λ right

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

ALUTRUSS TRILOCK 6082AL-32 3-way Corner Λ left

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

Technical specifications:

Weight: 128.00 kg

ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam

Setup: Easy installation

Trusspipe: 50 mm x 2 mm

Welding technique: TIG-welding

Welding material: AlMg 5

Color: Alu colored

Strut diameter x thickness: 16 x 2mm

Dimensions: Length: 250 cm
Width: 29 cm
Height: 25.70 cm

Weight: 9.80 kg

ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

Setup: Easy installation

Trusspipe: 50 mm x 2 mm

Welding technique: TIG-welding

Welding material: AlMg 5

Color: Alu colored

Strut diameter x thickness: 16 x 2mm

Dimensions: Length: 300 cm
Width: 29 cm
Height: 25.70 cm

Weight: 10.7 kg

ALUTRUSS TRILOCK 6082AL-31 3-way Corner Λ right

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6.1 kg

ALUTRUSS TRILOCK 6082AL-32 3-way Corner Λ left

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	6.20 kg

Scope of delivery:**4 x ALUTRUSS TRILOCK 6082-2500 3-way Cross Beam**

1 x connection set

6 x ALUTRUSS TRILOCK 6082-3000 3-way Cross Beam

1 x connection set

2 x ALUTRUSS TRILOCK 6082AL-31 3-way Corner Λ right

2 x connection set

2 x ALUTRUSS TRILOCK 6082AL-32 3-way Corner Λ left

2 x connection set