



Features:

Logistic

FUTURELIGHT PRO Slim PAR-12 QCL RGBA

PRO slimline LED spot with 5 W 4in1 LEDs

- Equipped with 12 x 4in1 quadcolor LEDs in the colors red, green, blue and amber
- Flat housing form requires minimal space when rigging
- Extremely compact housing in a beautiful design
- Second mounting bracket for safe standing installation
- Locking possibility at the brackets with large metal butterfly screws
- Convection cooling entirely via cooling ribs, no fans, particularly quiet during operation
- Functions: static colors, RGBA color mixture, 11 preset color temperatures, automatic color change, built-in programs, dimmer, strobe effect, sound-control, Master/Slave operation
- 4, 6 or 10 DMX channels selectable
- Dimmer speed (step response) adjustable
- Sound-control via built-in microphone
- Microphone-sensitivity adjustable via rotary-control on the top panel
- Comfortable addressing and setting via Control Board with four operating buttons and LED display with four-digit 14-segment display
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device

- After every 8 devices the fixtures must have a renewed connection with the power mains
- 12 LEDs

ROADINGER Flightcase 4x PRO Slim Size M

Trunk case, PRO version

- With accessory compartment
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	22.80 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

FUTURELIGHT PRO Slim PAR-12 QCL RGBA

Power supply:	230 V AC, 50 Hz
Power consumption:	80 W
LED type:	12
Fixtures available for:	Light´J; Light Captain
Color:	Black
Dimensions:	Width: 25.4 cm Depth: 9.9 cm Height: 29 cm
Weight:	3.40 kg
DMX channels:	4/6/10
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	5 W QCL
LED number:	12
Beam angle:	17°
Dimensions (W x D x H):	254 x 99 x 290 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 4x PRO Slim Size M

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Black, laminated; dark brown, laminated
Inside dimensions:	27 cm x 265 cm
Middle compartment:	14 cm x 27 cm x 25 cm
Compartment dimensions:	12 cm x 27 cm x 25 cm
Dimensions:	Width: 68.5 cm Depth: 30.5 cm Height: 36 cm
Weight:	9.20 kg

Scope of delivery:
