



Features:

Logistic

ALUTRUSS QUADLOCK QL-ET34 C-30 3-way Corner 90°

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

ALUTRUSS QUADLOCK End Plate QQGP-Male

- Trusspipe: 50 mm
- Made in Europe
- **cone**
- M8 thread

ALUTRUSS QUADLOCK QL-ET34-2500 4-way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 133.00 kg

ALUTRUSS QUADLOCK QL-ET34 C-30 3-way Corner 90°

Setup: Easy installation

Corner angle: 90°

Trusspipe: 50 mm x 2 mm

Color: Alu colored

Dimensions: Length: 50 cm
Width: 50 cm
Height: 50 cm

Weight: 8.1 kg

ALUTRUSS QUADLOCK End Plate QQGP-Male

Trusspipe: 50 mm

Color: Alu colored

Weight: 1.45 kg

Thread: M8 thread

ALUTRUSS QUADLOCK QL-ET34-2500 4-way Cross Beam

Setup: Easy installation

Trusspipe: 50 mm x 2 mm

Welding technique: TIG-welding

Welding material: AlMg 5

Alloy: AlMgSi1 T6

Color: Alu colored

Dimensions: Length: 250 cm
Width: 29 cm
Height: 29 cm

Weight:

11.85 kg

Scope of delivery:

4 x ALUTRUSS QUADLOCK QL-ET34 C-30 3-way Corner 90°

2 x connection set

8 x ALUTRUSS QUADLOCK QL-ET34-2500 4-way Cross Beam

1 x connection set