



5 X



10 X



5



Features:

EUROLITE LED Pixel Ball 360° 1m

Flexible LED pixel string

- 5 pixels, individually controllable
- 1 m long, flexible string
- Ultra-bright TCL LEDs for smooth RGB color mixing in lightweight, white plastic spheres
- 360° beam angle
- Modular concept allows build-up of large curtains for clubs, stages, shops and various other environments
- Individual control of static colors, RGB color mixture, internal programs, dimmer, strobe, Master/Slave
- Serial connection of 6 strings possible (30 pixels)
- Control of up to 150 pixels per LED PSU-5A Artnet/DMX controller (accessory)
- Control also possible per MADRIX, DMX and Artnet
- Control via stand-alone; Art-Net; DMX

EUROLITE LED PSU-5A Artnet/DMX

Control unit for EUROLITE LED Pixel Ball 360° 1m

- Create a RGB color mixing curtain with the decorative LED Pixel Ball strings
- For 150 pixels
- Serial connection possible
- Operable in stand-alone mode or via DMX and Art-Net
- Truss installation
- Comfortable addressing and setting via control panel with LCD display

Logistic

- Built-in functions: static colors, internal programs, dimmer, strobe, Master/Slave, string length selection
- Master/Slave for parallel operation of several devices
- Number of DMX channels (8, 450) selectable for numerous applications
- Ready for connection via included IEC power cord with safety power plug
- Switch-mode power supply for operation between 100 and 240 Volts
- Feed-through output allows to power up to 8 devices
- Control via stand-alone; Art-Net; DMX

MADRIX KEY

MADRIX 5 KEY - without license

- Includes an empty MADRIX KEY
- Requires a proper MADRIX 5 License to activate the features or output for the MADRIX 5 Software
- The device can be connected via USB to the PC
- Made in Germany

MADRIX Software 5 License start

MADRIX 5 licence "start"

- Includes 1x MADRIX 5 License "start"
- Requires a valid, empty, and metallic MADRIX KEY
- Can transmit up to 1024 DMX channels
- Compatible with Win 7, Win 8, Win 10,
- Made in Germany
- Engineered in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	4.84 kg
---------	---------

EUROLITE LED Pixel Ball 360° 1m

Power consumption:	4 W
--------------------	-----

Control:	Stand-alone; Art-Net; DMX
----------	---------------------------

Beam angle (1/2 peak):	360°
------------------------	------

Dimensions:	Height: 105 cm Diameter: Ø 5 cm
-------------	------------------------------------

Weight:	0.22 kg
---------	---------

Number of pixels:	5
-------------------	---

Pixel configuration:	TCL, SMD 5050 (2 per sphere)
----------------------	------------------------------

Series connection:	30 pixels
--------------------	-----------

Beam angle:	360°
-------------	------

Dimensions (L x D):	1050 x 50 mm
---------------------	--------------

Special product:	Not designed for household room illumination
------------------	--

Intended use:	Show effect lighting
---------------	----------------------

EUROLITE LED PSU-5A Artnet/DMX

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	80 W
Control:	Stand-alone; Art-Net; DMX
Fixtures available for:	LED PC-Control 512
Dimensions:	Length: 100 cm Depth: 7.5 cm Height: 10 cm
Weight:	2.48 kg
Output voltage:	12 V AC
Outputs for pixel strings:	5
Pixel control:	max. 150
Serial connection:	yes
Number of DMX channels:	8/450
DMX connection:	3-pin XLR
Art-Net connection:	RJ45, CAT5e
Dimensions (L x W x H):	1005 x 75 x 100 mm

EUROLITE Terminator for LED Pixel Ball

Housing color:	Black
Weight:	0.02 kg

MADRIX KEY

Power connection:	Mains input via USB A (M) connectable version
USB port:	Type A
PC connect:	Via USB
Weight:	0.07 kg

MADRIX Software 5 License start

DMX channels:	Output 1024
Weight:	0.00 kg
Operating system:	Win 7, Win 8, Win 10,

Scope of delivery:
