



**The article is no longer in our assortment.**

### Features:

#### ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

#### Package contents

- 2 x connection set

### Logistic

#### ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe

- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

#### **Package contents**

- 2 x connection set

### **ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE**

Universal 3-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

### **Technical specifications:**

|         |          |
|---------|----------|
| Weight: | 13,17 kg |
|---------|----------|

### **ALUTRUSS DECOLOCK DQ3-PAL33 3-way Corner 90°**

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| Trusspipe:                  | 35 mm x 2 mm                                    |
| Welding technique:          | TIG-welding                                     |
| Welding material:           | AlMg 5                                          |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm                                        |
| Dimensions:                 | Length: 40 cm<br>Width: 40 cm<br>Height: 40 cm  |
| Weight:                     | 2,7 kg                                          |

### **ALUTRUSS DECOLOCK DQ3-PAL34 3-way Corner 90°**

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| Trusspipe:                  | 35 mm x 2 mm                                    |
| Welding technique:          | TIG-welding                                     |
| Welding material:           | AlMg 5                                          |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm                                        |
| Dimensions:                 | Length: 40 cm<br>Width: 40 cm<br>Height: 40 cm  |
| Weight:                     | 2,8 kg                                          |

### **ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE**

|            |                     |
|------------|---------------------|
| Trusspipe: | 35 mm; 35 mm x 2 mm |
|------------|---------------------|

|         |                                                 |
|---------|-------------------------------------------------|
| Color:  | Alu colored; any RAL color available on request |
| Weight: | 0,55 kg                                         |