



### Features:

---

#### EUROLITE Reflector casing f. UV tube 2 x 120cm/36W

Housing for more performance

- With luminium reflector
- Increases the UV-light of the tube by the double
- Concentrated UV-light
- Easy mounting via mounting bracket
- For two 120 cm UV-tubes
- Ready for connection via power cord with safety-plug
- With metal mesh protection grill

#### OMNILUX UV Tube 36W G13 1200x26mm T8

An indispensable means of decoration

- Countless number of application possibilities
- Already existing a good number of years, the "black light effect" is still fascinating: white textiles and objects as well as fluorescent material brightly flash up in darkness!
- Only to be used with ballast resistor
- Easy installation

### Technical specifications:

---

### Logistic

---

Weight:	12.94 kg
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **EUROLITE Reflector casing f. UV tube 2 x 120cm/36W**

Power supply:	230 V AC, 50 Hz
Power consumption:	170 W
Lamp type:	Fluorescent tube
Housing color:	Black
Material:	Metal
Dimensions:	Width: 124 cm Depth: 12.5 cm Height: 21 cm
Weight:	5.25 kg
Dimensions (L x W x H):	240 x 210 x 125 mm
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **OMNILUX UV Tube 36W G13 1200x26mm T8**

Operating voltage:	103
Nominal wattage:	36 W
Base:	2 x G-13
Lamp type:	Fluorescent tube
Beam angle:	360°
Setup:	Easy installation
Color of light:	UV-reflecting
Lead time:	180 s
Construction:	Tube T8
Operating temperature max.:	40° C
Operating temperature min.:	20° C
Burning position:	P30 (horizontal ±30°)
Lamp life:	8000 h
Wavelength:	365 nm
Lamp current:	0.43 A
Dimensions (LxD):	1200x26 mm
Dimensions:	Length: 120 cm Diameter: Ø 2.60 cm
Weight:	0.20 kg
Photobiological safety:	Risk Group 0
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

**Scope of delivery:**

---