

## RELACART MIPASSPORT 2 Wireless Cameramount Microphone System

Art. No.: 13055238

Wireless 2-channel audio transmission system for cameras

GTIN: 4026397699012



### Description:

Perfect video sound

The Relacart MIPASSPORT Mi2 is a full-featured miniature 2-channel wireless microphone system that provides optimal sound for video recordings with two speakers. The ultra-compact transmitters with built-in omnidirectional microphones can be clipped on the collar or connected to external lavalier microphones and used as tiny bodypack transmitters. The transmitters wirelessly transmit a crystal clear audio signal to the receiver, which clips easily onto your camera's shoe mount.

MIPASSPORT uses ISM's global unlimited 2.4G frequency band for transmission. The receiver and transmitters are automatically paired successfully within 2 seconds after powering on, and the effective range is up to 50 meters. Both the receiver and the transmitters display the current product information on OLED displays. The output volume is adjustable. The 3.5mm TRS output is used to connect digital cameras, camcorders, recorders, tablets, mobile phones and other devices to assist in picking up high-fidelity audio. Delivery includes TRS and TRRS audio cables, fur windscreens and a 3in1 USB cable, allowing all 3 devices to be charged simultaneously from a single USB port. The wireless microphone system is ideal for interviews, micro-video recordings, business presentations and more.

### Features:

- Portable microphone system with 2 transmitters and 1 receiver
- Perfect video sound for cameras, smartphones, camcorders, etc.
- Easy attachment to clothing, the camera's hot shoe, etc.
- Ultra-compact and lightweight design
- Rechargeable lithium batteries
- Charging via USB-C socket

### Logistic

EAN / GTIN: 4026397699012

Weight: 0,35 kg

Length: 0.18 m

Width: 0.09 m

Height: 0.07 m

- Transmitter with integrated omnidirectional condenser microphone
  - 3.5 mm TRS jack for an external lavalier microphone (optional)
  - Receiver with 3.5 mm TRS jack for your recording device and 4-stage gain control (0 dB, -2 dB, -4 dB, -6 dB)
  - Automatic pairing in 2 seconds
  - Works with iOS and Android devices
  - Cordless, flexible and versatile
  - Battery operation up to 7h
  - Operating range up to 50m with line-of-sight
  - Operating range up to 50m
  - 2.4 GHz license-free worldwide
  - Up to 6 transmitters can be operated in parallel without interference
  - Monochrome OLED display
  - For application areas such as: Trade fair and shop fitting; mobile use; mobile djs / entertainer; homerecording and studios; video and photography
- transmitter**
- Polar pattern: Omnidirectional

## Technical specifications:

|                     |  |
|---------------------|--|
| Type:               | Wireless set   |
| Power supply:       | 5V DC 500 mA   |
| Power connection:   | Battery/battery pack<br>Mains input via USB C (W) mounting version<br>power supply cord for USB A mains connection<br>(provided) |
| Battery pack type:  | 1 x lithium ion 3.7 V, 450 mAh, 1.665 Wh   |
| Battery pack:       | Battery operation up to 7h   |
| Frequency range:    | 100 - 20000 Hz   |
| S/N ratio:          | >93 dB   |
| Range:              | Range up to 50m with line-of-sight<br>Range up to 50m  |
| Frequency band:     | 2.4 GHz  |
| Parallel mode:      | Max. 6 transmitter   |
| Display type:       | Monochrome OLED display  |
| Switch:             | On/off switch  |
| Material:           | Plastic  |
| Color:              | Black  |
| Dimensions:         | Width: 4.4 cm<br>Depth: 1.9 cm<br>Height: 5 cm   |
| Weight:             | 0.18 kg  |
| Capsule type:       | Electret   |
| Polar pattern:      | Omnidirectional  |
| Number of channels: | 1  |
| Max. SPL:           | 97 dB  |
| RF power output:    | 10 dBm   |
| Connections:        | Input: microphone via 3.5 mm jack (mono)<br>mounting version 2.5 V   |
| Weight:             | 0.033 kg   |
| Number of channels: | 2  |
| Gain:               | Output: -2 dB  |

Output: -4 dB

Output: -6 dB

---

Connections:

Output: microphone via 1 x 3.5 mm jack (stereo)  
mounting version

Output: headphones via 1 x 3.5 mm jack (stereo)  
mounting version

---

Weight:

0.034 kg

---

### **Scope of delivery:**

---

- 2 x transmitter
- 1 x receiver
- 2 x jack cable
- 1 x USB cable
- 2 x windshield
- 1 x user manual
- 1 x declaration of conformity