


ALUTRUSS Truss set BILOCK BQ2 horizontal 5x4x3m (WxDxH)

Art. No.: 20000070

GTIN:



The article is no longer in our assortment.

Features:

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

Logistic

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

2-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS BILOCK BQ2-PAL31H 3-way Corner 90°

2-point truss system

- Low weight
- Easy installation
- Direction horizontal
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

Package contents

- 2 x connection set

ALUTRUSS BILOCK Base Plate BLB male

- Trusspipe: 50 mm
- Made in Europe

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

QUICK-LOCK set

- Accessories for the robust truss system with QUICK-LOCK
- For use with TRI/QUAD system
- Trusspipe: 50 mm
- Made in Europe

Package contents

- 2 x splint, 2 x bolt

Technical specifications:

Weight:	67,97 kg
---------	----------

ALUTRUSS BILOCK BQ2-2000 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 200 cm Width: 29 cm Height: 5 cm
Weight:	4,89 kg

ALUTRUSS BILOCK BQ2-2500 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 250 cm Width: 29 cm Height: 5 cm
Weight:	5,3 kg

ALUTRUSS BILOCK BQ2-3000 2-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 300 cm Width: 29 cm Height: 5 cm
Weight:	6,22 kg

ALUTRUSS BILOCK BQ2-PAL31H 3-way Corner 90°

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	2,95 kg

ALUTRUSS BILOCK Base Plate BLB male

Trusspipe:	50 mm
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm

Weight:	0,65 kg
---------	---------

ALUTRUSS QUICK-LOCK Spare Pivot with Pin

Trusspipe:	50 mm
------------	-------

Color:	Alu colored
--------	-------------

Weight:	0,09 kg
---------	---------