

EUROLITE Set 4x AKKU UP-1 + SB-4 Soft Bag

4x LED uplight with 15 W 4in1 LED including black soft bag

Art. No.: 2000268

GTIN: 4026397594751



Features:

- Integrated QuickDMX transceiver for wireless DMX control
- Inclination angle of the LED head manually adjustable
- Interchangeable front lens for 9° or 15° beam angle
- Cordless, flexible and versatile
- Battery operation up to 18h depending on program used
- Integrated automatic charging of the battery and status indicator
- 1 LED 15 W SMD 9080 4in1 RGBW (homogenous color mix)
- Dimmer speed (step response) adjustable; colors preset; color blend stepless; color change adjustable; Dimmer electronic
- Strobe effect
- The device is cooled by passive convection cooling
- Control via DMX; stand-alone; QuickDMX; sound to light via microphone; IR remote control
- Flicker-free
- With a beam angle of 9°
- For application areas such as: Decoration; wedding/gala/events; mobile djs / entertainer; restaurants, bars and hotels; rental; advertisement/Shop window
- Silent operation
- Application possibility: Standing
- <p>EUROLITE SB-4 Soft Bag L
- <h2 class="featureSatz">Black soft bag for up to 4 devices, 320 x 320 x 200 mm</h2>Practical transport bag offers enough space for several lighting effects and accessories
- With dividers
- With 2 Outside pockets
- With 4 device compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
cover with foam padding

Logistic

EAN / GTIN: 4026397594751

Weight: 10,40 kg

Length: 0.82 m

Width: 0.41 m

Height: 0.52 m

- 2 carrying straps

Technical specifications:

Weight: 9.36 kg

EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

Power consumption: 15 W

Protection class: Protection class III

Power connection: Battery/battery pack
Mains input via coaxial power connector (M)
mounting version power supply cord with Euro
plug (provided)

Battery pack type: 1 x lithium ion 7.4 V, 8800 mAh, 65.12 Wh

Battery pack: Battery operation up to 18h depending on
program used
Recharging time 6h

Lamp type: LED lamp

LED type: 1 x 15 W SMD 9080 4in1 RGBW (homogenous
color mix)

DMX channels: 3; 4; 6; 8; 10

DMX input: 1 x 3-pin XLR (M) mounting version

DMX output: 1 x 3-pin XLR (F) mounting version

Cooling: Passive convection cooling

Control: DMX; stand-alone; QuickDMX; sound to light via
microphone; IR remote control

Fixtures available for: Light J; LED PC-Control 512; Light Captain;
EASY SHOW 1; EASY SHOW 2; EASY SHOW 3;
Colorchief

Projection: Flicker-free

Carrier frequency: 2.4 GHz

Beam angle (1/2 peak): 9°
15°

Beam angle (1/10 peak): 18°
30°

Housing color: Black

Dimensions: Width: 12 cm
Depth: 12 cm
Height: 14.2 cm

Weight: 2.21 kg

Noise classification: Class 0 (no noise at all)

Power supply: 100-240 V AC, 50/60 Hz
8.4V 3000 mA

Battery: 1 x button cell 3.0 V CR2032 lithium manganese
built-in

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE SB-4 Soft Bag L

Maximum load:	25 kg
Carrying strap:	2 pc/pcs
Material:	Nylon
Color:	Black, water repellent
Compartment dimensions:	15 cm x 15 cm x 20 cm
Inside dimensions:	31 cm x 34 cm x 20 cm
Dimensions:	Width: 32 cm Depth: 41 cm Height: 20 cm
Weight:	0.52 kg

Scope of delivery:

4 x EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

- 1 x spotlight
- 1 x external mains adapter
- 1 x remote control
- 2 x battery
- 1 x lens
- 1 x omega bracket
- 1 x user manual
- 1 x power cord

1 x EUROLITE SB-4 Soft Bag L

- 1 x bag