

## EUROLITE Set 2x LED THA-120PC Theater Spot + Case

2x Fresnel spot, 120 W COB LED (RGBW), extremely quiet, DMX including PRO flightcase

Art. No.: 2000364

GTIN: 4026397368918



### Features:

- Compact design
  - 1 LED 120 W COB (chip-on-board) 4in1 RGBW (homogenous color mix)
  - Dimmer electronic; color change adjustable; color fade adjustable; Dimmer speed (step response) adjustable
  - Strobe effect
  - The device is cooled by temperature-controlled fan
  - Control via stand-alone; DMX; sound to light via microphone
  - Flicker-free
  - With mounting bracket
  - Mains input and output for power linking up to 8 units
  - For application areas such as: Stage; wedding/gala/events; restaurants, bars and hotels; theater; rental; video and photography
  - Application possibility: Suspended; on stand
  - Can be operated in 4; 6; 7 CH mode
  - <p>ROADINGER Flightcase 2x LED THA-100F/THA-120PC
- Trunk case, PRO version**
- With accessory compartment
  - With 2 device compartments
  - High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
  - Interior with foam padding
  - Aluminum profile frames 25mm with rounded edges
  - 2 hinged, chromium plated case handles
  - 2 chrome tip-over locks
  - 2 high-quality butterfly locks
  - Closes with a
  - Branded hardware

### Logistic

EAN / GTIN: 4026397368918  
Weight: 28,10 kg  
Length: 0.82 m  
Width: 0.41 m  
Height: 0.52 m

- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight: 26.80 kg

---

### EUROLITE LED THA-120PC Theater Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	135 W
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED type:	1 x 120 W COB (chip-on-board) 4in1 RGBW (homogenous color mix)
DMX channels:	4; 6; 7
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Cooling:	Temperature-controlled fan
Control:	Stand-alone; DMX; sound to light via microphone
Fixtures available for:	LED PC-Control 512; Light'J; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; EASY SHOW 2; EASY SHOW 3
Projection:	Flicker-free
Beam angle (1/2 peak):	3 - 32°
Beam angle (1/10 peak):	9 - 43°
Housing color:	Black
Attachment system:	Mounting bracket
Dimensions:	Length: 37 cm Width: 25.6 cm Depth: 36 cm
Weight:	5.85 kg
Noise classification:	Class 2 (slight noise)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER Flightcase 2x LED THA-100F/THA-120PC

Aluminum profile frames: 25 mm

---

Case handle:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Accessory compartment:	10 cm x 33 cm x 42 cm
Compartment dimensions:	28.5 cm x 33 cm x 42 cm
Inside dimensions:	72 cm x 33 cm x 42 cm
Dimensions:	Width: 76 cm Depth: 37 cm Height: 53 cm
Weight:	13.60 kg

### **Scope of delivery:**

---

- 1 x spotlight
- 1 x user manual
- 1 x power cord
- 1 x filter frame