

ALUTRUSS Truss Set Lectern

Lectern made of 4-point truss system

Art. No.: 20000393

GTIN:



List price: 831.81 €

incl. 19% VAT.

Features:

ALUTRUSS PG-1 Lectern Top

Lectern

- Stable system for successful conferences, discussions, industry-events, political meetings etc.
- Easy handling
- Ruggedness and durability for versatile use
- Easy to assemble
- Trusspipe: 50 mm
- Made in Europe

Logistic

ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x connection set

ALUTRUSS QUADLOCK set connecting cone/pivot/pin

QUADSYSTEM set

- Accessories for the robust truss system
- Trusspipe: 50 mm
- Made in Europe

ALUTRUSS QUADLOCK End Plate QQGP 50cm x 50cm

Robust truss system

- High stability
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Easy installation as the cross-beams do no longer need to be screwed on
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

EUROLITE Truss Cover 100cm white

Flexible truss cover

- Best suited for reproducing light projections
- Extremely stretchable cloth
- Washable (needs to be treated with flame retardant spray afterwards)
- Suitable for all 4-point systems with 30 cm side length
- For application areas such as: Trade fair and shop fitting; wedding/gala/events

Package contents

- 1 x textile cover

Technical specifications:

| | |
|---------|----------|
| Weight: | 16,22 kg |
|---------|----------|

ALUTRUSS PG-1 Lectern Top

| | |
|--------|------------------|
| Setup: | Easy to assemble |
|--------|------------------|

| | |
|------------|--------------|
| Trusspipe: | 50 mm x 2 mm |
|------------|--------------|

| | |
|--------|-------------|
| Color: | Alu colored |
|--------|-------------|

| | |
|---------|---------|
| Weight: | 4,80 kg |
|---------|---------|

ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

| | |
|--------|-------------------|
| Setup: | Easy installation |
|--------|-------------------|

| | |
|------------|--------------|
| Trusspipe: | 50 mm x 2 mm |
|------------|--------------|

| | |
|--------------------|-------------|
| Welding technique: | TIG-welding |
|--------------------|-------------|

| | |
|-------------------|--------|
| Welding material: | AlMg 5 |
|-------------------|--------|

| | |
|--------|------------|
| Alloy: | AlMgSi1 T6 |
|--------|------------|

| | |
|--------|-------------|
| Color: | Alu colored |
|--------|-------------|

| | |
|-----------------------------|----------|
| Strut diameter x thickness: | 16 x 2mm |
|-----------------------------|----------|

| | |
|-------------|---|
| Dimensions: | Length: 100 cm Width: 29 cm Height: 29 cm |
| Weight: | 6,60 kg |

ALUTRUSS QUADLOCK set connecting cone/pivot/pin

| | |
|------------|-------------|
| Trusspipe: | 50 mm |
| Color: | Alu colored |
| Weight: | 0,96 kg |

ALUTRUSS QUADLOCK End Plate QQGP 50cm x 50cm

| | |
|------------|-------------------|
| Setup: | Easy installation |
| Trusspipe: | 50 mm |
| Color: | Alu colored |
| Weight: | 3,65 kg |

EUROLITE Truss Cover 100cm white

| | |
|-------------|----------------|
| Color: | White |
| Dimensions: | Length: 100 cm |
| Weight: | 0,23 kg |