


ALUTRUS Truss Set Lectern

Lectern made of 4-point truss system

Art. No.: 2000393

GTIN: 4026397618198



Features:

- Stable system for successful conferences, discussions, industry-events, political meetings etc.
- Easy handling
- Ruggedness and durability for versatile use
- Easy to assemble
- Trusspipe: 50 mm
- Made in Europe
- <p>ALUTRUS QUADLOCK 6082-1000 4-way Cross Beam
- <h2 class="featureSatz">4-point truss system</h2>Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"
- <p>ALUTRUS QUADLOCK set connecting cone/pivot/pin
- <h2 class="featureSatz">QUADSYSTEM set</h2>Accessories for the robust truss system
- Trusspipe: 50 mm
- Made in Europe
- <p>ALUTRUS QUADLOCK End Plate QQGP 50cm x 50cm
- <h2 class="featureSatz">Robust truss system</h2>High stability
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Easy installation as the cross-beams do no longer need to be screwed on
- Easy installation

Logistic

EAN / GTIN: 4026397618198

Weight: 18,15 kg

Length: 1.20 m

Width: 0.80 m

Height: 0.60 m

Bulky product

- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- <p>EUROLITE Truss Cover 100cm white
- <h2 class="featureSatz">Flexible truss cover</h2>Best suited for reproducing light projections
- Extremely stretchable cloth
- Washable (needs to be treated with flame retardant spray afterwards)
- Suitable for all 4-point systems with 30 cm side length
- For application areas such as: Trade fair and shop fitting; wedding/gala/events

Technical specifications:

Weight:	16.23 kg
---------	----------

ALUTRUSS PG-1 Lectern Top

Setup:	Easy to assemble
--------	------------------

Trusspipe:	50 mm x 2 mm
------------	--------------

Color:	Alu colored
--------	-------------

Weight:	4.80 kg
---------	---------

ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

Setup:	Easy installation
--------	-------------------

Trusspipe:	50 mm x 2 mm
------------	--------------

Welding technique:	TIG-welding
--------------------	-------------

Welding material:	AlMg 5
-------------------	--------

Alloy:	AlMgSi1 T6
--------	------------

Color:	Alu colored
--------	-------------

Strut diameter x thickness:	16 x 2mm
-----------------------------	----------

Dimensions:	Length: 100 cm
	Width: 29 cm
	Height: 29 cm

Weight:	6.60 kg
---------	---------

ALUTRUSS QUADLOCK set connecting cone/pivot/pin

Trusspipe:	50 mm
------------	-------

Color:	Alu colored
--------	-------------

Weight:	0.96 kg
---------	---------

ALUTRUSS QUADLOCK End Plate QQGP 50cm x 50cm

Setup:	Easy installation
--------	-------------------

Trusspipe:	50 mm
------------	-------

Color:	Alu colored
--------	-------------

Weight: 3.65 kg

EUROLITE Truss Cover 100cm white

Color: White

Dimensions: Length: 100 cm

Weight: 0.23 kg

Scope of delivery:

1 x ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

1 x connection set

1 x ALUTRUSS QUADLOCK set connecting cone/pivot/pin

4 x cone

8 x bolt

8 x splint

1 x EUROLITE Truss Cover 100cm white

1 x textile cover