



Features:

Logistic**OMNITRONIC UHF-201 Wireless Mic System 863.010MHz**

Wireless microphone system with UHF PLL technology

- Receiver unit and hand-held microphone with UHF PLL technology
- Operation in the low-interference UHF band
- Parallel operation of up to 4 sets is possible without any interference
- Volume control
- XLR and 6.3 mm output
- Jack cable included
- LEDs for power, carrier and audio signal
- Microphone with mute switch and color indication
- Matching pocket transmitter can be ordered separately
- License-free and approved in the EU
- Polar pattern: Cardioid
- UHF 863 - 865 MHz License-free and approved in Europe

OMNITRONIC UHF-200 BP Bodypack 863.010MHz

Bodypack transmitter with lavalier microphone

- Pocket transmitter as UHF PLL system, matching receivers with the same carrier frequency
- Operation in the low-interference UHF band
- Incl. lavalier microphone
- Transmitting power 10 mW
- Sensitivity adjustable
- Power LED
- Mute switch

- Operation via 2 x 1.5 V batteries, type AA
- License-free and approved in the EU
- Polar pattern: Cardioid
- UHF 863 - 865 MHz License-free and approved in Europe

Technical specifications:

Weight: 0.83 kg

OMNITRONIC UHF-201 Wireless Mic System 863.010MHz

Type:	Wireless set
Power consumption:	10.00 W
Capsule type:	Dynamic
Polar pattern:	Cardioid
Frequency range:	40 - 18000 Hz
Frequency band:	UHF 863 - 865 MHz
Frequency selection:	Fixed frequencies
Dimensions:	Width: 21 cm Depth: 4.5 cm Height: 15.5 cm
Weight:	0.72 kg
Battery:	2 x Mignon (AA) (not included)
System:	Non-Diversity
Carrier frequency:	863.010 MHz
Coverage:	50 m (with line-of-sight)
RF power output:	10 mW
Modulation method:	F3F
S/N ratio:	>105 dB
Selectivity:	>80 dB
T.H.D.:	<0.5 % at 1 kHz
Audio outputs:	400 mV, 2.2 kohms (XLR, bal.) 200 mV, 2.2 kohms (6.3 mm jack, unbal.)
Power supply	
Receiver:	100-240 V AC, 50/60 Hz via supplied power unit
Dimensions, weight:	
Receiver:	155 x 210 x 45 mm (W x D x H), 1 kg
Microphone:	50 x 265 mm (D x L), 280 g

OMNITRONIC UHF-200 BP Bodypack 863.010MHz

Type:	Bodypack with microphone
Capsule type:	Condenser
Polar pattern:	Cardioid

Battery:	2 x Mignon (AA) (not included)
Frequency range:	40 - 18000 Hz
Frequency band:	UHF 863 - 865 MHz
Frequency selection:	Fixed frequencies
Switch:	On/off switch; mute control
Dimensions:	Width: 65 cm Depth: 20 cm Height: 2.5 cm
Weight:	0.12 kg
Carrier frequency:	863.010 MHz
Coverage:	50 m (with line-of-sight)
RF power output:	10 mW
Modulation method:	F3F
S/N ratio:	>105 dB
Selectivity:	>80 dB
T.H.D.:	<0.5 % at 1 kHz
Connection:	3.5 mm jack

Scope of delivery:

1 x microphone