

## EUROLITE Set 4x AKKU Flat Light 1 silver + Case + Charger

4x flat spotlight with 15 W RGBW LED, flightcase and charger

Art. No.: 20000441

GTIN:



### Features:

- With QuickDMX transceiver - cordless, flexible and versatile
  - Equipped with a 15 W QCL LED in red, green, blue and white
  - Cordless and versatile
  - Elegant housing for indoor use
  - With integrated QuickDMX transmitter/receiver for the wireless transmission of DMX512 signals
  - Operation via built-in rechargeable lithium-ion battery with up to 18 hours operating time
  - Integrated automatic charging of the battery with indicator
  - Stepless color blend, color change, preset colors, dimmer and strobe effect
  - Dimmer speed (step response) adjustable
  - Addressing and setting via Control Board with touch buttons and LCD
  - Inclination angle manually adjustable via the bracket
  - Charger included in delivery
  - 1 LED 15 W SMD 9080 4in1 RGBW (homogenous color mix)
  - Strobe effect
  - The device is cooled by passive convection cooling
  - Control via master/slave function; stand-alone; IR remote control; sound to light via microphone; QuickDMX
  - Fixtures available for LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain
  - Flicker-free
  - With a beam angle of 8°
  - For application areas such as: Wedding/gala/events; small rental
  - Silent operation
- device**
- Cordless, flexible and versatile
  - Battery operation up to 18h depending on program used

### Logistic

- <p>ROADINGER Flightcase 4x AKKU Flat Light Series
- <h2 class="featureSatz">Carrying case, PRO version</h2>High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- Rugged carrying handle
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"
- <p>EUROLITE Charger 4x Akku Flat Light Series
- <h2 class="featureSatz">Power supply with cable for simultaneous charging of 4 x AKKU Flat Light 1/3</h2>

Technical specifications:

|         |          |
|---------|----------|
| Weight: | 11.32 kg |
|---------|----------|

EUROLITE AKKU Flat Light 1 sil

|                         |                                                                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz<br>12.6V DC 2500 mA                                                                                          |
| Protection class:       | Protection class III                                                                                                                |
| Power connection:       | Battery/battery pack<br>Mains input via coaxial power connector (M)<br>mounting version power supply cord with Euro plug (provided) |
| Lamp type:              | LED lamp                                                                                                                            |
| LED type:               | 1 x 15 W SMD 9080 4in1 RGBW (homogenous color mix)                                                                                  |
| DMX channels:           | 3; 4; 6; 8; 10                                                                                                                      |
| DMX input:              | 1 x 3-pin XLR (M) mounting version                                                                                                  |
| DMX output:             | 1 x 3-pin XLR (F) mounting version                                                                                                  |
| Cooling:                | Passive convection cooling                                                                                                          |
| Control:                | Master/slave function; stand-alone; IR remote control; sound to light via microphone; QuickDMX                                      |
| Fixtures available for: | LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain              |
| Projection:             | Flicker-free                                                                                                                        |
| Carrier frequency:      | 2.4 GHz                                                                                                                             |
| Beam angle (1/2 peak):  | 8°                                                                                                                                  |
| Housing color:          | Silver                                                                                                                              |
| Dimensions:             | Width: 16.8 cm<br>Depth: 13.8 cm<br>Height: 6.2 cm                                                                                  |
| Weight:                 | 1.67 kg                                                                                                                             |
| Noise classification:   | Class 0 (no noise at all)                                                                                                           |
| Battery:                | 1 x button cell 3.0 V CR2032 lithium manganese built-in                                                                             |

|                    |                                                                             |
|--------------------|-----------------------------------------------------------------------------|
| Battery pack type: | 1 x lithium ion 11.1 V, 2600 mAh, 28.86 Wh                                  |
| Battery pack:      | Battery operation up to 18h depending on program used<br>Recharging time 4h |
| Special product:   | Not designed for household room illumination                                |
| Intended use:      | Show effect lighting                                                        |

#### **ROADINGER Flightcase 4x AKKU Flat Light Series**

|                          |                                               |
|--------------------------|-----------------------------------------------|
| Aluminum profile frames: | 25 mm                                         |
| Carrying handle:         | 1 pc/pcs                                      |
| Lock:                    | Butterfly lock: 1 pc/pcs                      |
| Use of brands:           | Branded hardware                              |
| Material:                | Birch multiplex, 7 mm                         |
| Color:                   | Dark brown, laminated                         |
| Device compartment:      | 8 cm x 19 cm x 10 cm                          |
| Accessory compartment:   | 38 cm x 6.5 cm x 12 cm                        |
| Inside dimensions:       | 38 cm x 27 cm x 12 cm                         |
| Dimensions:              | Width: 42 cm<br>Depth: 31 cm<br>Height: 20 cm |
| Weight:                  | 4.15 kg                                       |

#### **EUROLITE Charger 4x Akku Flat Light Series**

|                   |                                                                                                |
|-------------------|------------------------------------------------------------------------------------------------|
| Power supply:     | 100-240 V AC, 50/60 Hz<br>12.6V DC 6000 mA                                                     |
| Power connection: | Mains input via C8 (M) "figure 8" mounting version power supply cord with Euro plug (provided) |
| Power output:     | 4 x coaxial power connector (F)                                                                |
| Weight:           | 0.49 kg                                                                                        |

#### **Scope of delivery:**

##### **4 x EUROLITE AKKU Flat Light 1 sil**

1 x remote control  
1 x device  
1 x user manual  
1 x external mains adapter

##### **1 x EUROLITE Charger 4x Akku Flat Light Series**

1 x charger  
1 x power cord  
1 x adapter cable