

## EUROLITE Set 2x Stage Stand 100cm + 2x LED B-40 HCL Beam Effect

2x Stage Stand including 2x LED B-40 Beam Effect

Art. No.: 20000584

GTIN:



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED B-40 HCL Beam Effect

LED beam effect with RGBAW+UV color mixing

- Precision lenses fill the room with countless rotating beams
- 5 powerful LEDs 12 W high-power 6in1 HCL RGBWA/UV
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Rotation speed stepless
- Multi beam effect; strobe effect; UV effect
- 4 integrated show programs
- Direct color selection for 25 preset colors
- The device is cooled by low-noise cooling fan
- Control via DMX; sound to light via microphone; master/slave function; stand-alone
- Preprogrammed in Light'J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- With mounting bracket
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- Very quiet working noise

#### Package contents

- 1 x light effect, 1 x user manual, 1 x power cord, 1 x omega bracket, 2 x screw, 2 x washer

### Logistic

#### EUROLITE 2x Stage Stand 100cm incl. Cover and Bag, white

Set with 2 stands for moving heads

- Translucent stretch fabric - can be backlit with any lighting effect
- Suitable for moving heads with a maximum weight of 30 kg

- Pin (Ø 35 mm) for mounting speakers
- Fast assembly without any tools
- Stand weight 10.7 kg each
- Washable (needs to be treated with flame retardant spray afterwards)
- B1 low flammability
- For application areas such as: Trade fair and shop fitting; wedding/gala/events

#### Package contents

- 2 x bag, 2 x stand, 4 x plate

## Technical specifications:

Weight:	31,30 kg
---------	----------

### EUROLITE LED B-40 HCL Beam Effect

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	50 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	IEC connector (F) mounting version
Lamp type:	LED lamp
LED type:	5 x 12 W high-power 6in1 HCL RGBWA/UV
Flash rate:	0 - 20 Hz
DMX channels:	5; 11
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Low-noise cooling fan
Control:	DMX; sound to light via microphone; master/slave function; stand-alone
Preprogrammed in:	Light´J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 32 cm Depth: 32 cm Height: 38 cm
Weight:	4,15 kg
Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

**EUROLITE 2x Stage Stand 100cm incl. Cover and Bag, white**

Maximum load:	30 kg
Material:	Steel
Color:	White
Dimensions:	Width: 50 cm Depth: 50 cm Height: 100 cm
Weight:	22,85 kg
Weight:	10,7 kg