

## EUROLITE Set 6x LED PARTY Spot + Case TDV-1

6x compact spotlight with 12 x 1 W LED in RGBW including universal case

Art. No.: 20000626

GTIN:



**List price: 279.65 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED PARTY Spot

Compact spotlight with 12 x 1 W R/G/B/W LED and DMX control

- 12 powerful LEDs 1 W SMD 8072 R/G/B/W
- Color blend stepless; color change programs; pulse effect adjustable; Dimmer electronic
- Strobe effect
- 7 integrated show programs
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; sound to light via microphone; master/slave function
- Preprogrammed in Light´J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
- Flicker-free
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Party room; small rental
- Application possibility: Suspended; on stand

#### Package contents

- 1 x light effect, 1 x mounting bracket, 2 x screw, 2 x washer, 1 x user manual

### Logistic

#### ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers

- With dividers
- High-quality workmanship with plastic 3 mm, black, imprinted
- Interior with foam padding

- Aluminum profile frames 12mm with rounded edges
- Rugged carrying handle
- 3 chrome tip-over locks
- 2 high-quality spring locks with shut-off function
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x case

## Technical specifications:

Weight: 6,01 kg

### EUROLITE LED PARTY Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	15 W
IP classification:	IP20
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug
Cable construction:	2 x 0,75 mm² H03VVH2-F
Cable length:	Approx. 0,9 m
Lamp type:	LED lamp
LED type:	12 x 1 W SMD 8072 R/G/B/W
DMX channels:	6
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; sound to light via microphone; master/slave function
Preprogrammed in:	Light´J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
Projection:	Flicker-free
Beam angle (1/2 peak):	10°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 15 cm Depth: 9 cm Height: 16 cm
Weight:	0,43 kg
Noise classification:	Class 2 (slight noise)
Mounting bracket	
Diameter mounting holes:	1 x Ø12mm; 2 x Ø8mm
Material:	Metal, 1 mm, painted
Color:	Black, matte

#### Legal specifications

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### ROADINGER Universal Case Pick TDV-1

Maximum load:	25 kg
Aluminum profile frames:	12 mm
Carrying handle:	1 pc/pcs
Stop hinge:	3 pc/pcs
Lock:	Spring lock: 2 pc/pcs with shut-off function
Material:	Plastic, 3 mm
Color:	Black, imprinted
Inside dimensions:	52 cm x 28,5 cm x 20 cm
Dimensions:	Width: 54 cm Depth: 31 cm Height: 26 cm
Weight:	3,45 kg