

OMNITRONIC Set WAMS-08BT MK2 Wireless PA System + UWM-2HH USB Wireless Mic Set

Mobile 8" PA system with battery operation including compatible wireless mic set

GTIN: 4026397066432



Features:

- Portable all-in-one PA system with 40 watts output power
- 3-channel power mixer
- 2-way bass-reflex system
- UWM-2HH USB dongle with 2 wireless microphones available as accessory
- USB port can also be used for charging mobile devices
- 1 additional battery can be retrofitted for up to 8 hours operating time
- 2 mono input channels mic/hi-Z instrument with adjustable echo effect
- 1 stereo input channel for line signal sources e.g. CD players and notebooks
- Common 2-band EQ for highs and lows
- Battery pack tool-free replacement
- Integrated automatic charging of the battery and status indicator
- The device is cooled by passive convection cooling
- Black metal grille
- Recessed carrying handle
- For application areas such as: Theater; mobile use; wedding/gala/events; product presentations and lectures
- Application possibility: Standing; on stand
- **battery pack**
- Cordless, flexible and versatile
- Battery operation up to 4h depending on program used
- **audio player**
- Control via IR remote control; Bluetooth
- Bluetooth: operating range up to 10m
- 2.4 GHz license-free worldwide
- **remote control**
- Operating range up to 10m

Logistic

EAN / GTIN: 4026397066432
Weight: 8,50 kg
Length: 0.61 m
Width: 0.32 m
Height: 0.35 m

- <p>OMNITRONIC UWM-2HH USB Wireless Mic Set with two handheld microphones
- <h2 class="featureSatz">Accessory kit for compatible Omnitronic products</h2>Operation with fixed UHF frequencies
- Automatic pairing
- Operating range up to 30m
- UHF 863 - 865 MHz License-free and approved in Europe
- For application areas such as: Mobile use; mobile djs / entertainer

Technical specifications:

Weight: 8.08 kg

OMNITRONIC WAMS-08BT MK2 Wireless PA System

| | |
|--------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz Or 12V DC |
| Power consumption: | 65 W |
| Protection class: | Protection class I |
| Output power: | 40 W RMS |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) Battery/battery pack |
| Frequency range: | 50 - 18000 Hz |
| THD: | <0.1 % at 1 kHz |
| Sensitivity: | 90 dB (1W/1m) |
| Max. SPL: | 106 dB |
| Cooling: | Passive convection cooling |
| Housing color: | Black |
| Attachment system: | Flange: Ø 35mm |
| Control elements: | Echo effect control, audio player |
| Status LED: | Power, peak, microphone, charge status indicator, pairing |
| Connections: | Input: Mic/Hi.Z. via 2 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version) Input: line via 1 x stereo RCA Input: stereo via 1 x 3.5 mm jack (stereo) mounting version Input: 1 x USB A (F) mounting version |
| Channels: | Microphone channel: 2 x mono with Mic-Hi.Z. switch via Combination socket (XLR/jack), channel control via rotary dial Input channel: 1 x stereo via RCA or jack plug or player, channel control via rotary dial Input channel: 2 x mono via radio, channel control via rotary dial Master output: mono, channel control via rotary dial, 2-band tone control EQ |
| Speaker: | 1 x woofer 8" |

Basket material: steel
Conematerial: cardboard/paper
1 x tweeter

| | |
|---------------------------|--|
| USB port: | Type A |
| Type of speaker: | Compact cabinet speaker; wireless PA system |
| Recessed carrying handle: | 1 pc/pcs |
| Material: | ABS Acrylonitrile butadiene styrene |
| Color: | Black |
| Dimensions: | Width: 27 cm Depth: 29 cm Height: 42 cm |
| Weight: | 7.75 kg |
| Battery pack type: | 1 x lithium ion 11.1 V, 4000 mAh, 44.4 Wh |
| Battery pack: | Battery operation up to 4h depending on program used Recharging time 4h |
| Control: | IR remote control; Bluetooth |
| Bluetooth device name: | WAMS-08BT MK2 |
| Audio player: | USB + SD + Bluetooth |
| Range: | Bluetooth: range up to 10m |
| Frequency band: | 2.4 GHz |
| Music format: | MP3, WMA; WAV |
| Available storage media: | USB devices/SD cards max. 32GB (FAT 32) |
| Battery: | 1 x button cell 3.0 V CR2025 lithium manganese built-in |
| Range: | Range up to 10m |

OMNITRONIC UWM-2HH USB Wireless Mic Set with two handheld microphones

| | |
|----------------------|--|
| Type: | Wireless set |
| Range: | Range up to 30m |
| Frequency band: | UHF 863 - 865 MHz |
| Frequency stability: | ± 0.01 % |
| RF power output: | 10 mW |
| Frequency selection: | Fixed frequencies |
| Weight: | 0.33 kg |
| Power supply: | 5V DC 500 mA |
| Power connection: | Mains input via USB, type A |
| Status LED: | Signal |
| Material: | Plastic |
| Color: | White |
| Dimensions: | Length: 10 cm Width: 3.1 cm Height: 1.3 cm |
| Weight: | 0.02 kg |
| Power supply: | 3V DC |

| | |
|--------------------|-----------------------------------|
| Power connection: | Battery/battery pack |
| Capsule type: | Dynamic |
| Battery: | 2 x Mignon (AA) (not included) |
| Carrier frequency: | 863.3 MHz; 865 MHz |
| Color code: | CH A= blue, CH B= orange, |
| Switch: | On/off switch |
| Material: | Plastic |
| Color: | Black |
| Dimensions: | Length: 25 cm Diameter: Ø 5 cm |
| Weight: | 0.170 kg |

Scope of delivery:

1 x OMNITRONIC WAMS-08BT MK2 Wireless PA System

- 1 x compact cabinet speaker
- 1 x power cord
- 1 x battery pack
- 1 x remote control
- 1 x battery
- 1 x user manual
- 1 x declaration of conformity

1 x OMNITRONIC UWM-2HH USB Wireless Mic Set with two handheld microphones

- 1 x receiver
- 2 x microphone
- 1 x user manual
- 1 x declaration of conformity