

EUROLITE Set AKKU THA-20PC TRC + Stand + Bag

Battery powered LED theater spot incl. speaker stand and matching transport bag

Art. No.: 20000796

GTIN: 4026397687392



Features:

- Two additional frost filters provide a soft, homogeneous light
- New LED technology that simulates the color temperature curve of a halogen lamp when dimming
- Cordless, flexible and versatile
- With a beam angle of 17°
- Very high color rendering index (CRI)
- Flicker-free
- Control via stand-alone
- 1 LED 17 W COB (chip-on-board) Dim to warm (homogenous color mix)
- Dimmer electronic
- Battery operation up to 2h
- Integrated automatic charging of the battery and status indicator
- Rugged metal housing
- The device is cooled by passive convection cooling
- With mounting bracket
- For application areas such as: Decoration; wedding/gala/events; video and photography; restaurants, bars and hotels
- Silent operation
- Application possibility: Suspended; on stand
- <p>OMNITRONIC Speaker Stand BOB System
- <h2 class="featureSatz">Speaker stand for BOB speakers, extendable up to 170 cm</h2>Tube diameter: Ø 30 mm
- Adjustable height
- Scratchproof and shockproof
- <p>OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

Logistic

EAN / GTIN: 4026397687392

Weight: 6,00 kg

Length: 1.20 m

Width: 0.60 m

Height: 0.60 m

- ## Accessory for the BOB series

Suitable for stands and distance tubes
- Made of easy-care artificial black textile
- High-quality workmanship with textile , black

Technical specifications:

Weight: 4.75 kg

EUROLITE AKKU THA-20PC TRC Theater Spot bk

| | |
|------------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz 15V DC 2000 mA |
| Pin configuration: | Inside + / outside - |
| Protection class: | Protection class III |
| Power connection: | Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
| Battery pack type: | 1 x lithium ion 11.1 V, 2600 mAh, 28.86 Wh |
| Battery pack: | Battery operation up to 2h Recharging time 3h |
| Lamp type: | LED lamp |
| LED type: | 1 x 17 W COB (chip-on-board) Dim to warm (homogenous color mix) |
| Cooling: | Passive convection cooling |
| Control: | Stand-alone |
| Projection: | Flicker-free |
| Beam angle (1/2 peak): | 17° Frost filter 19° Frost filter 26° |
| Color temperature: | 3000K |
| Color rendering index (CRI): | 92 Ra |
| Housing color: | Black |
| Attachment system: | Mounting bracket |
| Transport aid: | Rubber feet |
| Dimensions: | Length: 21 cm Width: 14.5 cm Height: 21 cm |
| Weight: | 2.38 kg |
| Noise classification: | Class 0 (no noise at all) |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

OMNITRONIC Speaker Stand BOB System

Maximum carrying capacity: 14 kg

| | |
|--------------------------|--|
| Height: | Maximum: 195 cm Minimum: 107 cm Adjustable in 6 steps with locking pin |
| Attachment system: | M10 thread |
| Type (general stands): | Speaker stand/manual |
| Material: | Steel |
| Color: | Black, painted; , scratchproof and shockproof |
| Main pipe diameter: | Ø 3 cm |
| Extension tube diameter: | Ø 2.5 cm |
| Weight: | 2.15 kg |

Locking screw M10 for STW

| | |
|---------|---------|
| Weight: | 0.03 kg |
|---------|---------|

OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

| | |
|-------------|--|
| Material: | Textile |
| Color: | Black |
| Dimensions: | Length: 106 cm Width: 9 cm Depth: 7 cm |
| Weight: | 0.19 kg |

Scope of delivery:

1 x EUROLITE AKKU THA-20PC TRC Theater Spot bk

- 1 x spotlight
- 1 x user manual
- 1 x external mains adapter
- 1 x filter frame
- 1 x barndoor
- 2 x frost filter

1 x OMNITRONIC Speaker Stand BOB System

- 1 x stand
- 1 x user manual

1 x OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

- 1 x bag