

# EUROLITE Set 4x LED Pixel Matrix Panel 5x5 RGB/WW + Flightcase with wheels: 20001044

GTIN: 4026397748161







List price: 3092.81 €

incl. 19% VAT.

#### Features:

#### **EUROLITE LED Pixel Matrix Panel 5x5 RGB/WW**

Matrix spotlight with RGB/WW LEDs, Pixel control & macros for sequences, letters and numbers

- Create sensational light effect surfaces by connecting several devices
- 25 powerful LEDs 12 W SMD 5050 4in1 QCL RGB/WW (homogenous color mix)<BR> LEDs controlled separately
- Color change; color fade; foreground color adjustable; background color adjustable; color macros adjustable; Dimmer electronic
- Blinder effect; matrix effect; strobe effect
- 9 integrated show programs
- The device is cooled by temperature-controlled fan
- Control via DMX; stand-alone; RDM; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional); Art-Net; sound to light; master/slave function
- Preprogrammed in Light Captain
- Flicker-free
- DMX fail mode (hold; blackout)
- With a beam angle of 45°
- With mounting bracket
- Multicolor LCD display
- Mains input and output for power linking up to 8 units
- For application areas such as: Wedding/gala/events; mobile use; stage; rental
- Very quiet working noise
- Application possibility: Standing; suspended; on stand

# Package contents

- 1 x device, 1 x user manual, 1 x power cord, 2 x safety eyelet

### Logistic

EAN / GTIN: 4026397748161

Weight: 70,00 kg Length: 0.00 m Width: 0.00 m Heigth: 0.00 m Bulky product

#### ROADINGER Flightcase 4x Pixel Matrix Panel 5x5 RGB/WW with wheels

Trunk case with castors

- With 4 device compartment
- High-quality workmanship with plywood multi-layer glued 7 mm, black, laminated
- Interior with foam padding<BR>cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes

## **Technical specifications:**

| Weight: | 67,00 kg |  |
|---------|----------|--|
|---------|----------|--|

#### **EUROLITE LED Pixel Matrix Panel 5x5 RGB/WW**

| Power supply:           | 100-240 V AC, 50/60 Hz   |  |
|-------------------------|--|--|
| Power consumption:      | 115 W  |  |
| IP classification:      | IP20   |  |
| Protection class:       | Protection class I   |  |
| Power connection:       | Mains input via P-Con (blue), mounting version   |  |
| Cable construction:     | 3 x 1,0 mm² H05VV-F  |  |
| Cable length:           | 1,45 m   |  |
| Power output:           | 1 x P-Con (gray), mounting version   |  |
| Fuse:                   | 5 x 20 mm, T 2 A fuse replaceable  |  |
| Lamp type:              | LED lamp   |  |
| LED type:               | 25 x 12 W SMD 5050 4in1 QCL RGB/WW (homogenous color mix)  |  |
| DMX channels:           | 4; 10; 15; 100; 102  |  |
| DMX input:              | 3-pin XLR (M) mounting version   |  |
| DMX output:             | 3-pin XLR (F) mounting version   |  |
| Network connection:     | Protocol: Art-Net 3 via 2x RJ-45 E-Con (F) mounting version  |  |
| Cooling:                | Temperature-controlled fan   |  |
| Control:                | DMX; stand-alone; RDM; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional); Art-Net; sound to light; master/slave function |  |
| Preprogrammed in:       | Light Captain  |  |
| Projection:             | Flicker-free   |  |
| DMX fail mode:          | Hold; blackout   |  |
| Beam angle:             | 45°  |  |
| Beam angle (1/2 peak):  | 45°  |  |
| Beam angle (1/10 peak): | 82°  |  |
|                         |  |  |

| Housing color:           | Black  |  |
|--------------------------|--|--|
| Attachment system:       | Mounting bracket   |  |
| Display type:            | Multicolor LCD display   |  |
| USB port:                | Туре А   |  |
| Diameter mounting holes: | 3 x Ø10mm  |  |
| Material:                | Metal  |  |
| Dimensions:              | Width: 45,0 cm   |  |
|                          | Depth: 10,6 cm   |  |
|                          | Height: 45,0 cm  |  |
| Weight:                  | 9,00 kg  |  |
| Noise classification:    | Class 1 (very slight noise, suitable for noise-<br>sensitive environments) |  |
| Legal specifications     |  |  |
| Special product:         | Not designed for household room illumination                               |  |
| Intended use:            | Show effect lighting   |  |

## ROADINGER Flightcase 4x Pixel Matrix Panel 5x5 RGB/WW with wheels

| Maximum load:            | 50 kg                             |  |
|--------------------------|-----------------------------------|--|
| Aluminum profile frames: | 30 mm                             |  |
| Case handle:             | 4 pc/pcs                          |  |
| Stop hinge:              | 2 pc/pcs                          |  |
| Lock:                    | Butterfly lock: 2 pc/pcs          |  |
| Transport aid:           | 4 x castors with 2 locking brakes |  |
| Material:                | Plywood multi-layer glued, 7 mm   |  |
| Color:                   | Black, laminated                  |  |
| Device compartment:      | 4,5 cm x 45,5 cm x 44,5 cm        |  |
| Inside dimensions:       | 61 cm x 45,5 cm x 44,5 cm         |  |
| Dimensions:              | Width: 51,8 cm                    |  |
|                          | Depth: 63,3 cm                    |  |
|                          | Height: 55,2 cm                   |  |
| Weight:                  | 23,70 kg                          |  |