

## EUROLITE GoFlow 100

Extremely bright gobo flower with separate color/gobo wheel and 2 rotation functions

Art. No.: 51918591

GTIN: 4026397724486



### Features:

- 1 LED 100 W COB (chip-on-board) cold white (CW)
- Gobo wheel with rotating gobos; color wheel
- Dimmer electronic
- Flower effect; gobo effect; strobe effect
- Color wheel with 8 dichroic filters plus open half colors selectable, Rainbow effect with adjustable speed in both directions
- Gobo wheel with rotating gobos, 8 gobos-gobos changeable
- Slot-in gobo system for easy gobo replacement
- 24 integrated show programs
- The device is cooled by temperature-controlled fan
- Control via stand-alone; sound to light via microphone; master/slave function; DMX; IR remote control; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- With a beam angle of 80°
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; wedding/gala/events; Trade fair and shop fitting; stage; mobile djs / entertainer; restaurants, bars and hotels; rental
- Very quiet working noise
- Application possibility: Suspended; on stand
- 2 buttons on the remote control for saving your own settings

### Logistic

EAN / GTIN: 4026397724486

Weight: 6,05 kg

Length: 0.46 m

Width: 0.28 m

Height: 0.23 m

## Technical specifications:

|                          |  |
|--------------------------|--|
| Power supply:            | 100-240 V AC, 50/60 Hz   |
| Power consumption:       | 140 W  |
| Protection class:        | Protection class I   |
| Power connection:        | Mains input via IEC connector (M) mounting version power supply cord with safety plug  |
| Power output:            | IEC connector (F) mounting version   |
| Fuse:                    | 5 x 20 mm, T 2.5 A fuse replaceable  |
| Lamp type:               | LED lamp   |
| LED type:                | 1 x 100 W COB (chip-on-board) cold white (CW)  |
| Flash rate:              | 0.5 - 25 Hz  |
| Equipment:               | Gobo wheel with rotating gobos; color wheel  |
| Color generation:        | Color wheel with 8 dichroic filters plus open Half colors selectable, Rainbow effect with adjustable speed in both directions  |
| Gobos:                   | Gobo wheel with rotating gobos, 8 gobos<br>Outside diameter 23.80mm<br>Image diameter 14mm<br>Gobos changeable<br>Slot-in gobo system for easy gobo replacement  |
| DMX channels:            | 2; 6; 8  |
| DMX input:               | 3-pin XLR (M) mounting version   |
| DMX output:              | 3-pin XLR (F) mounting version   |
| Cooling:                 | Temperature-controlled fan   |
| Control:                 | Stand-alone; sound to light via microphone; master/slave function; DMX; IR remote control; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional) |
| Fixtures available for:  | Colorchief; Light Captain  |
| Beam angle (1/2 peak):   | 80°  |
| Color temperature:       | 8000K  |
| Housing color:           | Black  |
| Display type:            | 4 digit 7-segment LED display  |
| Dimensions:              | Length: 40.5 cm<br>Width: 22.5 cm<br>Height: 26 cm   |
| Weight:                  | 5.55 kg  |
| Noise classification:    | Class 1 (very slight noise, suitable for noise-sensitive environments)   |
| Diameter mounting holes: | 1 x Ø13mm  |
| Material:                | Metal, 2 mm  |
| Battery:                 | Button cell 3.0 V CR2025 lithium manganese built-in  |
| Special product:         | Not designed for household room illumination   |
| Intended use:            | Show effect lighting   |

## Scope of delivery:

---

- 1 x device
- 1 x power cord
- 1 x remote control
- 1 x battery
- 6 x gobos
- 1 x user manual