OMNITRONIC

OMNITRONIC DJS-2000 DJ Player

Media player and MIDI controller for DJs

Art.n.: 10602299

GTIN: 4026397507607

L'articolo non è più disponibile.

Features :

- Anti-shock, DSP and internal memory
- Audio CD/CD-R/CD-RW/MP3 CD
- 2 USB ports for storage media and portable players (FAT 32)
- USB audio link: two connected players can play music from one USB device
- Controls any MIDI-compatible DJ software (e.g. Traktor)
- All control elements are MIDI compatible and can be freely edited and assigned
- Control of 2 virtual decks with a single DJS-2000
- Access music files more easily and quickly via smart music database management with free PC software Database Builder
- Sort USB devices lightning-fast by title, artist, album and genre
- Instant start within 10 ms
- 10 seconds anti-shock protection
- Bright dot-matrix VFD display for all functions
- Touch-sensitive jog wheel with adjustable sensitivity and mode selector: scratch, pitch bend and auto cue scratch
- Jog wheel with adjustable LED illumination
- Start and brake speed adjustable
- DSP with beat-synchronized effects (echo, flanger, filter), parameters adjustable
- Automatic beat counter (switchable to manual operation)
- Sampler unit with 4 banks (4 x 5 seconds)
- Internal memory for 2000 cue points of up to 500 CDs
- 4 hot cues or hot loops
- Auto cue
- Seamless loop/reloop
- Auto loop, beat-synchronized and adjustable
- Master tempo (tonal pitch remains constant when speed is changed)

Logistica

EAN / GTIN: 4026397507607

Peso : 3,35 kg

Lunghezza : 0.42 m

Larghezza : 0.31 m

Altezza : 0.21 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® und Dimavery® sind Marken der Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
Alle Rechte vorbehalten.Technische Änderungen und Irrtum vorbehalten. Alle Bilder ähnlich, zum Teil Symbolfotos.

- Next track search: select next track while playing the current one
- Folder navigation
- Supports ID3 tags
- Supports WAV format
- System menu for user-defined settings
- Extra-long pitch fader
- Pitch adjustment ±6 %, ±10 %, ±16 %, ±100 %
- Pitch bend buttons
- Fader start
- Relay play
- Single or continuous play
- Reverse play
- Repeat function (repeat folder)
- Indication of elapsed time, remain time (MP3 files) or total remain time (audio CD)
- Bargraph display
- Slot-in drive
- The Database Builder software is available in the manufacturer's download section
- Processore di segnale digitale master tempo
- Controllabile via MIDI via USB
- Impostazione del passo: CD-DA ±6%, ±10%, ±16%, ±100%
- Impostazione del passo: MP3 ±6%, ±10%, ±16%
- The device can be connected via USB to the PC in connection with Virtual DJ
midi capable
- Custodia per mixer

Dati tecnici :

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	16,00 W
Intervallo di frequenza:	17 - 20000 Hz
Rapporto segnale-rumore:	>126 dB
Distorsione armonica totale:	<0,01 % a 1 kHz
DSP:	Processore di segnale digitale master tempo
Attivazione:	MIDI via USB
Audioplayer:	USB + lettore CD, (ID3 tag), Seamless loop, Anti-shock
Dispositivo CD:	Ripiano-disco singolo
Schermo:	CD-DA ID3-Tags , Tempo di riproduzione del titolo , Tempo residuo del titolo , Tempo di gioco residuo totale; MP3 ID3-Tags , Tempo di riproduzione del titolo , Tempo residuo del titolo
Collegamenti:	Uscita: line via 1 x RCA stereo 2 V Uscita: 1 x RCA stereo
Formato musicale:	CD, CD-R, CD-RW, CD-DA, MP3; WAV
Accuratezza del fotogramma:	1/75 s
Supporti di memorizzazione appropriati:	Periferica USB max. 32GB (FAT 32)
Impostazione del passo:	CD-DA ±6%, ±10%, ±16%, ±100% MP3 ±6%, ±10%, ±16%
Collegamento USB:	2 x type A
PC connect:	Virtual DJ via USB Midi capable
Struttura della custodia:	Custodia per mixer
Misure:	Larghezza: 21,8 cm Profondità: 29,6 cm Altezza: 10,4 cm

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® und Dimavery® sind Marken der Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
Alle Rechte vorbehalten.Technische Änderungen und Irrtum vorbehalten. Alle Bilder ähnlich, zum Teil Symbolfotos.

Peso:	2,75 kg
Type:	CD/MP3 player and MIDI controller
Channel separation:	91 dB
MIDI connection:	USB type B
Fader start/relay mode:	3.5 mm jack

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® und Dimavery® sind Marken der Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
Alle Rechte vorbehalten.Technische Änderungen und Irrtum vorbehalten. Alle Bilder ähnlich, zum Teil Symbolfotos.