



**L'articolo non è più disponibile.**

### Features :

#### EUROLITE AKKU UP-4 HCL Spot WDMX wh

LED Uplight with 4 x 12 W 6in1 LED & wireless DMX receiver (Wireless Solution)

- Compact and bright
- Equipped with 4 x 12 W HCL LED in red, green, blue, amber, white and UV
- With integrated wireless receiver for WDMX operation (Wireless Solution - made in Sweden)
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 8.5 hours operating time
- Integrated automatic charging of the battery with indicator
- Controllable via EUROLITE IR-7 remote control; included in the delivery
- With integrated folding foot for angled placement by floor installation
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 6, 8 or 12 DMX channels selectable
- Functions: static colors, stepless RGBAW+UV color mixture, internal programs, dimmer, strobe effect with variable speed, sound-control
- Dimmer speed (step response) adjustable
- Adjustable microphone sensitivity
- Addressing via control panel with 4-digit LED display
- Switch-mode power supply for operation between 100 and 240 volts
- Ready for connection via included power cable with safety power plug
- Feed-through output allows to power up to 8 devices
- DMX control via any standard DMX controller
- Available in 2 housing colors: black and white
- 4 potenti LED 12 W high power 6in1 HCL RGBWA/UV (miscela di colori omogenea)
- Il dispositivo è raffreddato tramite Raffreddamento a convezione passiva
- Controllabile via DMX; stand-alone; W-DMX by wireless solution; controllo della musica via microfono

### Logistica

- Già pre-programmato con Light´J; LED PC-Control 512
  - Senza sfarfallio
  - With a beam angle of 22°
- Dispositivo**
- Senza fili, flessibile e versatile
  - Durata di funzionamento fino a 8,5h a seconda del programma utilizzato
- Dotazione della fornitura**
- 1 x Dispositivo, 1 x telecomando

## EUROLITE SB-4 Soft Bag M

Black soft bag for up to four devices (AKKU UP-4/TL-3 TCL)

- Practical transport bag offers enough space for several lighting effects and accessories
- Large interior, four times divisible and adaptable with foam dividers and pads
- Suitable e.g. for 4 x AKKU UP-4 Spot, 4 x TL-3 TCL Trusslight (41700500) or 3 x AKKU UP-4 Spot QuickDMX (41700540)
- Interior upholstery helps securing and safeguarding the fixtures during transportation
- External pocket stores accessories like cables, clamps, lamps and tape
- Made of easy-care nylon
- Carrying handles

## Dati tecnici :

|       |          |
|-------|----------|
| Peso: | 12,11 kg |
|-------|----------|

## EUROLITE AKKU UP-4 HCL Spot WDMX wh

|                                             |                                                                                                                                                                                      |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alimentazione elettrica:                    | 100-240 V AC, 50/60 Hz                                                                                                                                                               |
| Potenza totale installata:                  | 37 W                                                                                                                                                                                 |
| Grado di protezione:                        | IP20                                                                                                                                                                                 |
| Allacciamento elettrico:                    | Pila/Batteria ricaricabile<br>Alimentazione dell'energia elettrica tramite dispositivi a freddo (M) versione da incasso cavo di alimentazione con spina di protezione (in dotazione) |
| Uscita di corrente:                         | 1 x dispositivi a freddo (F) versione da incasso                                                                                                                                     |
| Tipo di lampada:                            | Lampada a LED                                                                                                                                                                        |
| Tipo di LED:                                | 4 x 12 W high power 6in1 HCL RGBWA/UV (miscela di colori omogenea)                                                                                                                   |
| Canali DMX:                                 | 6; 8; 12                                                                                                                                                                             |
| Ingresso DMX:                               | 1 x XLR (M) a 3 poli versione da incasso                                                                                                                                             |
| Uscita DMX:                                 | 1 x XLR (F) a 3 poli versione da incasso                                                                                                                                             |
| Raffreddamento:                             | Raffreddamento a convezione passiva                                                                                                                                                  |
| Attivazione:                                | DMX; stand-alone; W-DMX by wireless solution; controllo della musica via microfono                                                                                                   |
| Pre-programmato con:                        | Light´J; LED PC-Control 512                                                                                                                                                          |
| Proiezione:                                 | Senza sfarfallio                                                                                                                                                                     |
| Deviazione della portante:                  | 2,4 GHz                                                                                                                                                                              |
| Angolazione del fascio di luce:             | 22°                                                                                                                                                                                  |
| Angolazione del fascio di luce (1/2 picco): | 22°                                                                                                                                                                                  |
| Colore della custodia:                      | Bianco                                                                                                                                                                               |

|                     |                                                                                                  |
|---------------------|--------------------------------------------------------------------------------------------------|
| Misure:             | Larghezza: 13,8 cm<br>Profondità: 14,5 cm<br>Altezza: 19,1 cm                                    |
| Peso:               | 2,90 kg                                                                                          |
| Dispositivo         |                                                                                                  |
| Tipo di batteria:   | 1 x Ioni di litio 14,8 V, 6600 mAh, 97,68 Wh                                                     |
| Batteria:           | Durata di funzionamento fino a 8,5h a seconda del programma utilizzato<br>Tempo di ricarica 4,5h |
| Telecomando         |                                                                                                  |
| Pila:               | 1 x pila a bottone 3,0 V CR2025 litio-manganese montato                                          |
| Specifiche legali   |                                                                                                  |
| Prodotto speciale:  | Non destinato all'illuminazione di ambienti domestici                                            |
| Destinazione d'uso: | Illuminazione per effetti speciali                                                               |

#### **EUROLITE SB-4 Soft Bag M**

|                     |                                                         |
|---------------------|---------------------------------------------------------|
| Carico massimo:     | 25 kg                                                   |
| Materiale:          | Tessili                                                 |
| Colore:             | Nero                                                    |
| Dimensioni vano:    | 14 cm x 14 cm x 19 cm                                   |
| Dimensioni interne: | 29 cm x 29 cm x 19 cm                                   |
| Misure:             | Larghezza: 30 cm<br>Profondità: 33 cm<br>Altezza: 20 cm |
| Peso:               | 0,51 kg                                                 |